

DSM-5<sup>®</sup>

# CODING UPDATE

SUPPLEMENT TO  
*DIAGNOSTIC AND STATISTICAL  
MANUAL OF MENTAL DISORDERS,  
FIFTH EDITION*

This DSM-5<sup>®</sup> Coding Update (March 2014) serves as an archive of all historical ICD-9-CM changes made after publication of DSM-5 in May 2013. ICD-9-CM codes were used for coding purposes in the United States through September 30, 2015. ICD-10-CM codes are now used for coding purposes in the United States as of October 1, 2015. For the most current ICD-10-CM and DSM-5 updates, see the DSM-5<sup>®</sup> Update on <http://dsm.psychiatryonline.org>.

American Psychiatric Association  
March 2014

# DSM-5<sup>®</sup> Coding Update

## Supplement to *Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition*

Copyright © 2014 American Psychiatric Association. All rights reserved. Unless authorized in writing by the American Psychiatric Association (APA), no part of this supplement may be reproduced or used in a manner inconsistent with the APA's copyright. This prohibition applies to unauthorized uses or reproductions in any form, including electronic applications.

Correspondence regarding copyright permissions should be directed to DSM Permissions, American Psychiatric Publishing, 1000 Wilson Boulevard, Suite 1825, Arlington, VA 22209-3901.

This supplement and the digital versions of DSM-5<sup>®</sup> (including the DSM-5<sup>®</sup> Diagnostic Criteria Mobile App, DSM-5<sup>®</sup> eBook, and DSM-5<sup>®</sup> on PsychiatryOnline.org) are updated periodically to reflect any coding updates, changes, or corrections, and any other information necessary for compensation in mental health practice. For the latest updates, please go to <http://dsm.psychiatryonline.org>.

ICD-9-CM codes are followed by ICD-10-CM codes in parentheses as in DSM-5.

DSM and DSM-5 are registered trademarks of the American Psychiatric Association. Use of these terms is prohibited without permission of the American Psychiatric Association.

# Contents

**Updates at a Glance ..... 3**

**Updates in Detail ..... 4**

**Neurodevelopmental Disorders ..... 4**  
    Intellectual Disability (Intellectual Developmental Disorder)  
    Language Disorder

**Bipolar and Related Disorders ..... 5**  
    Bipolar I Disorder, Current or most recent episode hypomanic  
        In partial remission  
        In full remission

**Anxiety Disorders ..... 6**  
    Selective Mutism

**Obsessive-Compulsive and Related Disorders ..... 6**  
    Trichotillomania (Hair-Pulling Disorder)

**Trauma- and Stressor-Related Disorders ..... 7**  
    Adjustment Disorders

**Sleep-Wake Disorders ..... 8**  
    Insomnia Disorder  
    Hypersomnolence Disorder

**Disruptive, Impulse-Control, and Conduct Disorders ..... 9**  
    Conduct Disorder, Adolescent-onset type  
    Kleptomania

**Neurocognitive Disorders ..... 10**  
    Major Neurocognitive Disorder Due to Alzheimer’s Disease  
    Major Frontotemporal Neurocognitive Disorder  
    Major Neurocognitive Disorder With Lewy Bodies  
    Major Vascular Neurocognitive Disorder  
    Major Neurocognitive Disorder Due to Parkinson’s Disease

## Updates at a Glance

Disorder	Original	Update
Intellectual Disability (Intellectual Developmental Disorder)	<b>319</b> (70) Mild <b>319</b> (71) Moderate <b>319</b> (72) Severe <b>319</b> (73) Profound	<b>317</b> (70) Mild <b>318.0</b> (71) Moderate <b>318.1</b> (72) Severe <b>318.2</b> (73) Profound
Language Disorder	<b>315.39 (F80.9)</b>	<b>315.32 (F80.2)</b>
Bipolar I Disorder, Current or most recent episode hypomanic, In partial remission	296.45 ( <b>F31.73</b> )	296.45 ( <b>F31.71</b> )
Bipolar I Disorder, Current or most recent episode hypomanic, In full remission	296.46 ( <b>F31.74</b> )	296.46 ( <b>F31.72</b> )
Selective Mutism	<b>312.23</b> (F94.0)	<b>313.23</b> (F94.0)
Trichotillomania (Hair-Pulling Disorder)	312.39 ( <b>F63.2</b> )	312.39 ( <b>F63.3</b> )
Adjustment Disorders	<b>No specifiers</b> for “acute” and “persistent (chronic)”	<b>Add specifiers</b> “acute” and “persistent (chronic)”
Insomnia Disorder	<b>780.52 (G47.00)</b>	<b>307.42 (F51.01)</b>
Hypersomnolence Disorder	<b>780.54 (G47.10)</b>	<b>307.44 (F51.11)</b>
Conduct Disorder, Adolescent-onset type	<b>312.32</b> (F91.2)	<b>312.82</b> (F91.2)
Kleptomania	312.32 ( <b>F63.3</b> )	312.32 ( <b>F63.2</b> )
<p><b>Major Neurocognitive Disorders With Possible Etiologies</b>            The following coding updates ensure that insurance reimbursement can be obtained when the specifier “With behavioral disturbance” is used for the possible major neurocognitive disorders. The possible major neurocognitive disorders should be coded in the same way as their respective probable major neurocognitive disorders, as noted below. <b>For excerpts of the DSM-5 sections with these changes, see pp. 10–22 of this Coding Update.</b></p>		
Major Neurocognitive Disorder Possibly Due to Vascular Disease	<b>331.9 (G31.9)</b>	<b>290.40 (F01.51)</b> <b>With behavioral disturbance</b> <i>or</i> <b>290.40 (F01.50)</b> <b>Without behavioral disturbance</b>
Major Neurocognitive Disorder Due to Possible Alzheimer’s Disease ( <b>Note:</b> Code first <b>331.0 (G30.9)</b> Alzheimer’s disease.)	<b>No coding of etiological medical condition</b>	<b>Code etiological medical condition first (noted at left with each disorder)</b> <i>then code</i> <b>294.11 (F02.81)</b> <b>With behavioral disturbance</b> <i>or</i> <b>294.10 (F02.80)</b> <b>Without behavioral disturbance</b>
Major Neurocognitive Disorder Due to Possible Frontotemporal Lobar Degeneration ( <b>Note:</b> Code first <b>331.19 (G31.09)</b> frontotemporal disease.)	<b>331.9 (G31.9)</b>	
Major Neurocognitive Disorder With Possible Lewy Bodies ( <b>Note:</b> Code first <b>331.82 (G31.83)</b> Lewy body disease.)		
Major Neurocognitive Disorder Possibly Due to Parkinson’s Disease ( <b>Note:</b> Code first <b>332.0 (G20)</b> Parkinson’s disease.)		

## Updates in Detail

Replacement codes and other notes are in boldface type to aid visual reference only.  
Shaded areas denote disorders with changes.

### Neurodevelopmental Disorders

#### ICD-9-CM coding change for Intellectual Disability (Intellectual Developmental Disorder) (ICD-10-CM code remains UNCHANGED)

Codes are found on the following pages: DSM-5: pp. xiii, 33 (*also delete coding note*), 848, 872;  
Desk Reference: pp. ix, 18 (*also delete coding note*)

**DSM-5 Classification**, Neurodevelopmental Disorders, Intellectual Disabilities, Intellectual Disability (Intellectual Developmental Disorder), p. xiii (Desk Reference, p. ix):

**The ICD-9-CM code “319” should be deleted** and replaced with blank lines: “\_\_\_\_.”.

ICD-9-CM codes should be inserted as follows:

- 317** (F70) Mild
- 318.0** (F71) Moderate
- 318.1** (F72) Severe
- 318.2** (F73) Profound

**DSM-5 criteria for Intellectual Disability (Intellectual Developmental Disorder)** should be revised as follows, p. 33 (Desk Reference, p. 18):

**DELETE the coding note.**

**ADD** ICD-9-CM codes as follows:

*Specify current severity (see Table 1):*

- 317** (F70) Mild
- 318.0** (F71) Moderate
- 318.1** (F72) Severe
- 318.2** (F73) Profound

**Alphabetical Listing**, p. 848 (*not applicable to Desk Reference*)

Adjust the ICD-9-CM codes for Intellectual disability (intellectual developmental disorder) as follows (change placement of Profound as shown below):

**DELETE** 319

**ADD** ICD-9-CM codes:

- 317** (F70) Mild
- 318.0** (F71) Moderate
- 318.1** (F72) Severe
- 318.2** (F73) Profound

**Numerical Listing (ICD-9-CM)**, p. 872 (*not applicable to Desk Reference*):

**DELETE** “319 Intellectual disability (intellectual developmental disorder)”

**ADD** the following:

- 317 Intellectual disability (intellectual developmental disorder), Mild**
- 318.0 Intellectual disability (intellectual developmental disorder), Moderate**
- 318.1 Intellectual disability (intellectual developmental disorder), Severe**
- 318.2 Intellectual disability (intellectual developmental disorder), Profound**
- BEFORE**
- 319 Unspecified intellectual disability (intellectual developmental disorder)

## Neurodevelopmental Disorders (*continued*)

### ICD-9-CM and ICD-10-CM coding changes for Language Disorder

Codes are found on the following pages: DSM-5: pp. xiii, 42, 848, 871, 891;

Desk Reference: pp. x, 24

**DSM-5 Classification**, Neurodevelopmental Disorders, Communication Disorders, Language Disorder, p. xiii (Desk Reference, p. x):

- Change 315.39 to **315.32**
- Change (F80.9) to **(F80.2)**

**DSM-5 criteria, ICD-9-CM and ICD-10-CM codes for Language Disorder** should be revised as follows, p. 42 (Desk Reference, p. 24):

- Change 315.39 to **315.32**
- Change (F80.9) to **(F80.2)**

**Alphabetical Listing**, p. 848 (*not applicable to Desk Reference*)

Change the codes for Language disorder as follows:

- Change 315.39 to **315.32**
- Change F80.9 to **F80.2**

**Numerical Listing (ICD-9-CM)**, p. 871 (*not applicable to Desk Reference*)

Change the code for Language disorder as follows:

- Change 315.39 to **315.32**
- Move **315.32 Language disorder** to follow “315.2 Specific learning disorder, With impairment in written expression”

**Numerical Listing (ICD-10-CM)**, p. 891 (*not applicable to Desk Reference*)

Change the code for Language disorder as follows:

- Change F80.9 to **F80.2**
- Move **F80.2 Language disorder** to follow “F80.0 Speech sound disorder”

## Bipolar and Related Disorders

### ICD-10-CM coding changes to Bipolar I Disorder,

**Current or most recent episode hypomanic** (ICD-9-CM code remains UNCHANGED)

Codes are found on the following pages: DSM-5: pp. xvi, 127, 842, 888;

Desk Reference: pp. xiv, 70

**DSM-5 Classification**, Bipolar and Related Disorders, Bipolar I Disorder, Current or most recent episode hypomanic, p. xvi (Desk Reference, p. xiv):

- ICD-10-CM code F31.73 should be changed to **F31.71**, In partial remission
- ICD-10-CM code F31.74 should be changed to **F31.72**, In full remission

**DSM-5 criteria, coding table for Bipolar I Disorder** should be revised as follows, p. 127 (Desk Reference, p. 70):

- In partial remission, Current or most recent episode hypomanic:  
Change F31.73 to **F31.71**
- In full remission, Current or most recent episode hypomanic:  
Change F31.74 to **F31.72**

## Bipolar and Related Disorders (*continued*)

### **Alphabetical Listing**, p. 842 (*not applicable to Desk Reference*)

Replace the ICD-10-CM codes as follows for Bipolar I disorder, Current or most recent episode hypomanic:

- Change F31.74 to **F31.72** In full remission
- Change F31.73 to **F31.71** In partial remission

### **Numerical Listing (ICD-10-CM)**, p. 888 (*not applicable to Desk Reference*)

Please change codes and reorder listing as follows:

**F31.71** Bipolar I disorder, Current or most recent episode hypomanic, In partial remission

**F31.72** Bipolar I disorder, Current or most recent episode hypomanic, In full remission

F31.73 Bipolar I disorder, Current or most recent episode manic, In partial remission

F31.74 Bipolar I disorder, Current or most recent episode manic, In full remission

## Anxiety Disorders

### **ICD-9-CM coding change for Selective Mutism** (ICD-10-CM code remains UNCHANGED)

Codes are found on the following pages: DSM-5: pp. xviii, 195, 859, 871;

Desk Reference: pp. xvii, 116

### **DSM-5 Classification**, Anxiety Disorders, Selective Mutism, p. xviii

(Desk Reference, p. xvii):

- Change 312.23 to **313.23**

### **DSM-5 criteria, ICD-9-CM code for Selective Mutism** should be revised as follows, p. 195

(Desk Reference, p. 116):

- Change 312.23 to **313.23**

### **Alphabetical Listing**, p. 859 (*not applicable to Desk Reference*)

Replace the ICD-9-CM code as follows for Selective mutism:

- Change 312.23 to **313.23**

### **Numerical Listing (ICD-9-CM)**, p. 871 (*not applicable to Desk Reference*)

Change the code for Selective mutism as follows:

- Change 312.23 to **313.23**
- Move **313.23 Selective mutism** to precede “313.81 Oppositional defiant disorder”

## Obsessive-Compulsive and Related Disorders

### **ICD-10-CM coding change for Trichotillomania (Hair-Pulling Disorder)**

(ICD-9-CM code remains UNCHANGED)

Codes are found on the following pages: DSM-5: pp. xix, 251, 861, 890;

Desk Reference: pp. xviii, 133

### **DSM-5 Classification**, Obsessive-Compulsive and Related Disorders, Trichotillomania

(Hair-Pulling Disorder), p. xix (Desk Reference, p. xviii):

- Change F63.2 to **F63.3**

### **DSM-5 criteria, ICD-10-CM code for Trichotillomania (Hair-Pulling Disorder)** should be revised as follows, p. 251 (Desk Reference, p. 133):

- Change F63.2 to **F63.3**

## Obsessive-Compulsive and Related Disorders (*continued*)

### Alphabetical Listing, p. 861 (*not applicable to Desk Reference*)

Replace the ICD-10-CM code for Trichotillomania (hair-pulling disorder) as follows:

- Change F63.2 to **F63.3**

### Numerical Listing (ICD-10-CM), p. 890 (*not applicable to Desk Reference*)

Change the ICD-10-CM code for Trichotillomania (hair-pulling disorder) as follows:

- Change F63.2 to **F63.3**
- Move **F63.3 Trichotillomania (hair-pulling disorder)** to precede "F63.81 Intermittent explosive disorder"

## Trauma- and Stressor-Related Disorders

### Add specifiers for Adjustment Disorders

(ICD-9-CM and ICD-10-CM codes remain UNCHANGED)

Specifiers are added on the following pages: DSM-5: pp. xx, 287; Desk Reference: pp. xix, 152

### DSM-5 Classification, Trauma- and Stressor-Related Disorders, Adjustment Disorders, p. xx

(Desk Reference, p. xix):

New specifiers are added as shown (see highlighted text):

\_\_\_\_.\_\_\_\_ (\_\_\_\_.\_\_\_\_) Adjustment Disorders

#### AFTER

*Specify whether:*

**309.0 (F43.21)** With depressed mood

... [*codes and subtypes continue as printed*]

**309.9 (F43.20)** Unspecified

#### ADD

*Specify if:* Acute, Persistent (chronic)

**DSM-5 criteria for Adjustment Disorders** should be revised as follows (see highlighted text), p. 287 (Desk Reference, p. 152):

#### AFTER

*Specify whether:*

**309.0 (F43.21) With depressed mood:** Low mood, tearfulness, or feelings of hopelessness are predominant.

... [*codes and subtypes continue as printed*]

**309.9 (F43.20) Unspecified:** For maladaptive reactions that are not classifiable as one of the specific subtypes of adjustment disorder.

#### ADD

*Specify if:*

**Acute:** If the disturbance lasts less than 6 months

**Persistent (chronic):** If the disturbance lasts for 6 months or longer



---

## Sleep-Wake Disorders

### ICD-9-CM and ICD-10-CM coding changes for Insomnia Disorder and Hypersomnolence Disorder

Codes are found on the following pages:

- Insomnia Disorder: DSM-5: pp. xxii, 362 (*also change code in coding note*), 848, 870, 873, 890, 892  
Desk Reference: pp. xxii, 181, 182 (*change code in coding note*)
- Hypersomnolence Disorder: DSM-5: pp. xxii, 368, 369 (*change code in coding note*), 847, 870, 873, 890, 892  
Desk Reference: pp. xxii, 182, 183 (*change code in coding note*)

**DSM-5 Classification**, Sleep-Wake Disorders, change codes for Insomnia Disorder and Hypersomnolence Disorder, p. xxii (Desk Reference, p. xxii):

Insomnia Disorder

- Change 780.52 to **307.42**
- Change (G47.00) to **(F51.01)**

Hypersomnolence Disorder

- Change 780.54 to **307.44**
- Change (G47.10) to **(F51.11)**

**DSM-5 criteria, ICD-9-CM and ICD-10-CM codes** should be revised as follows:

Insomnia Disorder

Codes in “Diagnostic Criteria,” p. 362 (Desk Reference, p. 181):

- Change 780.52 to **307.42**
- Change (G47.00) to **(F51.01)**

Coding note, p. 362 (Desk Reference, p. 182):

- Change 780.52 (G47.00) to **307.42 (F51.01)**

Hypersomnolence Disorder

Codes in “Diagnostic Criteria,” p. 368 (Desk Reference, p. 182):

- Change 780.54 to **307.44**
- Change (G47.10) to **(F51.11)**

Coding note, p. 369 (Desk Reference, p. 183):

- Change 780.54 (G47.10) to **307.44 (F51.11)**

**Alphabetical Listing** (*not applicable to Desk Reference*)

Hypersomnolence disorder, p. 847

- Change 780.54 to **307.44**
- Change G47.10 to **F51.11**

Insomnia disorder, p. 848

- Change 780.52 to **307.42**
- Change G47.00 to **F51.01**

**Numerical Listing (ICD-9-CM)**, p. 870 (*not applicable to Desk Reference*)

After “307.3 Stereotypic movement disorder,” **ADD**

- **307.42 Insomnia disorder**
- **307.44 Hypersomnolence disorder**

**DELETE**

- 780.52 Insomnia disorder, p. 873
- 780.54 Hypersomnolence disorder, p. 873

**Sleep-Wake Disorders (*continued*)**

**Numerical Listing (ICD-10-CM)**, p. 890 (*not applicable to Desk Reference*)

After “F50.9 Unspecified feeding or eating disorder,” **ADD**

- **F51.01 Insomnia disorder**
- **F51.11 Hypersomnolence disorder**

**DELETE**

- G47.00 Insomnia disorder, p. 892
- G47.10 Hypersomnolence disorder, p. 892

**Disruptive, Impulse-Control, and Conduct Disorders**

**ICD-9-CM coding change for Conduct Disorder, Adolescent-onset type**

(ICD-10-CM code remains UNCHANGED)

Codes are found on the following pages: DSM-5: pp. xxiv, 846, 871; Desk Reference: p. xxv

**DSM-5 Classification**, Disruptive, Impulse-Control, and Conduct Disorders:

Conduct Disorder, Adolescent-onset type, p. xxiv (Desk Reference, p. xxv):

- Change 312.32 to **312.82**

*[NO CORRECTION NEEDED TO CODING IN CRITERIA SET]*

**Alphabetical Listing**, p. 846 (*not applicable to Desk Reference*)

Replace the ICD-9-CM code as follows for Conduct Disorder, Adolescent-onset type:

- Change 312.32 to **312.82**

**Numerical Listing (ICD-9-CM)**, p. 871 (*not applicable to Desk Reference*):

- Change 312.32 to **312.82** Conduct Disorder, Adolescent-onset type
- Move **312.82 Conduct Disorder, Adolescent-onset type** to precede “312.89 Conduct Disorder, Unspecified onset”

**ICD-10-CM coding change for Kleptomania** (ICD-9-CM code remains UNCHANGED)

Codes are found on the following pages: DSM-5: pp. xxiv, 478, 848, 890;

Desk Reference: pp. xxvi, 225

**DSM-5 Classification**, Disruptive, Impulse-Control, and Conduct Disorders:

Kleptomania, p. xxiv (Desk Reference, p. xxvi):

- Change F63.3 to **F63.2**

**DSM-5 criteria, ICD-10-CM code for Kleptomania** should be revised as follows, p. 478

(Desk Reference, p. 225):

- Change F63.3 to **F63.2**

**Alphabetical Listing**, p. 848 (*not applicable to Desk Reference*)

Replace the ICD-10-CM code as follows for Kleptomania:

- Change F63.3 to **F63.2**

**Numerical Listing (ICD-10-CM)**, p. 890 (*not applicable to Desk Reference*):

- Change F63.3 to **F63.2** Kleptomania
- Move **F63.2 Kleptomania** to precede “F63.3 Trichotillomania (hair-pulling disorder)”

## Neurocognitive Disorders

### DSM-5 Classification Excerpt for

#### Major Neurocognitive Disorders Due to Possible Etiologies

DSM-5, pp. xxx–xxxii; Desk Reference, pp. xxxiii–xxxvi

**Updates to the DSM-5 Classification contain revised coding and notes for the major neurocognitive disorders due to possible etiologies (neurocognitive disorders without coding changes are not included):**

- Major Neurocognitive Disorder Due to Alzheimer’s Disease
- Major Frontotemporal Neurocognitive Disorder
- Major Neurocognitive Disorder With Lewy Bodies
- Major Vascular Neurocognitive Disorder
- Major Neurocognitive Disorder Due to Parkinson’s Disease

### Major and Mild Neurocognitive Disorders (602) [*\*299 in Desk Reference*]

*Specify* whether due to: Alzheimer’s disease, Frontotemporal lobar degeneration, Lewy body disease, Vascular disease, Traumatic brain injury, Substance/medication use, HIV infection, Prion disease, Parkinson’s disease, Huntington’s disease, Another medical condition, Multiple etiologies, Unspecified

<sup>a</sup>*Specify* Without behavioral disturbance, With behavioral disturbance. *For mild neurocognitive disorder, behavioral disturbance cannot be coded but should still be indicated in writing.*

<sup>b</sup>*Specify* current severity: Mild, Moderate, Severe. *This specifier applies only to major neurocognitive disorders (including probable and possible).*

**Note:** As indicated for each subtype, an additional medical code is needed for major neurocognitive disorders, including those due to probable and possible medical etiologies. The medical etiology should be coded first before the code for the major neurocognitive disorder. An additional medical code should *not* be used for mild neurocognitive disorder.

### Major or Mild Neurocognitive Disorder Due to Alzheimer’s Disease (611)

[*\*305 in Desk Reference*]

\_\_\_\_ (\_\_\_\_) Major Neurocognitive Disorder Due to Probable Alzheimer’s Disease<sup>b</sup>

**Note:** Code first **331.0 (G30.9)** Alzheimer’s disease.

**294.11 (F02.81)** With behavioral disturbance

**294.10 (F02.80)** Without behavioral disturbance

\_\_\_\_ (\_\_\_\_) Major Neurocognitive Disorder Due to Possible Alzheimer’s Disease<sup>b</sup>

**Note:** Code first **331.0 (G30.9)** Alzheimer’s disease.

**294.11 (F02.81)** With behavioral disturbance

**294.10 (F02.80)** Without behavioral disturbance

**331.83 (G31.84)** Mild Neurocognitive Disorder Due to Alzheimer’s Disease<sup>a</sup>

### Major or Mild Frontotemporal Neurocognitive Disorder (614) [*\*306 in Desk Reference*]

\_\_\_\_ (\_\_\_\_) Major Neurocognitive Disorder Due to Probable Frontotemporal Lobar Degeneration<sup>b</sup>

**Note:** Code first **331.19 (G31.09)** frontotemporal disease.

**294.11 (F02.81)** With behavioral disturbance

**294.10 (F02.80)** Without behavioral disturbance

\_\_\_\_ (\_\_\_\_) Major Neurocognitive Disorder Due to Possible Frontotemporal Lobar Degeneration<sup>b</sup>

**Note:** Code first **331.19 (G31.09)** frontotemporal disease.

**294.11 (F02.81)** With behavioral disturbance

**294.10 (F02.80)** Without behavioral disturbance

**331.83 (G31.84)** Mild Neurocognitive Disorder Due to Frontotemporal Lobar Degeneration<sup>a</sup>

**Neurocognitive Disorders**  
**DSM-5 Classification Excerpt for**  
**Major Neurocognitive Disorders Due to Possible Etiologies (continued)**

Major or Mild Neurocognitive Disorder With Lewy Bodies (618) [*\*308 in Desk Reference*]

\_\_\_\_ (\_\_\_\_) Major Neurocognitive Disorder With Probable Lewy Bodies<sup>b</sup>

**Note:** Code first **331.82 (G31.83)** Lewy body disease.

**294.11 (F02.81)** With behavioral disturbance

**294.10 (F02.80)** Without behavioral disturbance

\_\_\_\_ (\_\_\_\_) Major Neurocognitive Disorder With Possible Lewy Bodies<sup>b</sup>

**Note:** Code first **331.82 (G31.83)** Lewy body disease.

**294.11 (F02.81)** With behavioral disturbance

**294.10 (F02.80)** Without behavioral disturbance

**331.83 (G31.84)** Mild Neurocognitive Disorder With Lewy Bodies<sup>a</sup>

Major or Mild Vascular Neurocognitive Disorder (621) [*\*309 in Desk Reference*]

\_\_\_\_ (\_\_\_\_) Major Neurocognitive Disorder Probably Due to Vascular Disease<sup>b</sup>

**Note:** No additional medical code for vascular disease.

**290.40 (F01.51)** With behavioral disturbance

**290.40 (F01.50)** Without behavioral disturbance

\_\_\_\_ (\_\_\_\_) Major Neurocognitive Disorder Possibly Due to Vascular Disease<sup>b</sup>

**Note:** No additional medical code for vascular disease.

**290.40 (F01.51)** With behavioral disturbance

**290.40 (F01.50)** Without behavioral disturbance

**331.83 (G31.84)** Mild Vascular Neurocognitive Disorder<sup>a</sup>

Major or Mild Neurocognitive Disorder Due to Parkinson's Disease (636)

[*\*316 in Desk Reference*]

\_\_\_\_ (\_\_\_\_) Major Neurocognitive Disorder Probably Due to Parkinson's Disease<sup>b</sup>

**Note:** Code first **332.0 (G20)** Parkinson's disease.

**294.11 (F02.81)** With behavioral disturbance

**294.10 (F02.80)** Without behavioral disturbance

\_\_\_\_ (\_\_\_\_) Major Neurocognitive Disorder Possibly Due to Parkinson's Disease<sup>b</sup>

**Note:** Code first **332.0 (G20)** Parkinson's disease.

**294.11 (F02.81)** With behavioral disturbance

**294.10 (F02.80)** Without behavioral disturbance

**331.83 (G31.84)** Mild Neurocognitive Disorder Due to Parkinson's Disease<sup>a</sup>

**Neurocognitive Disorders****Updated Coding Table****Incorporates revisions for major neurocognitive disorders due to possible etiologies**

DSM-5, pp. 603–604; Desk Reference, pp. 302–304

**Coding note:** Code based on medical or substance etiology. In some cases, there is need for an additional code for the etiological medical condition, which must immediately precede the diagnostic code for major neurocognitive disorder, as follows:

<b>Etiological subtype</b>	<b>Associated etiological medical code for major neurocognitive disorder<sup>a</sup></b>	<b>Major neurocognitive disorder code<sup>b</sup></b>	<b>Mild neurocognitive disorder code<sup>c</sup></b>
Alzheimer's disease	331.0 (G30.9)	294.1x (F02.8x)	331.83 (G31.84) (Do not use additional code for Alzheimer's disease.)
Frontotemporal lobar degeneration	331.19 (G31.09)	294.1x (F02.8x)	331.83 (G31.84) (Do not use additional code for frontotemporal disease.)
Lewy body disease	331.82 (G31.83)	294.1x (F02.8x)	331.83 (G31.84) (Do not use additional code for Lewy body disease.)
Vascular disease	No additional medical code	290.40 (F01.5x)	331.83 (G31.84) (Do not use additional code for the vascular disease.)
Traumatic brain injury	907.0 (S06.2X9S)	294.1x (F02.8x)	331.83 (G31.84) (Do not use additional code for the traumatic brain injury.)
Substance/medication-induced	No additional medical code	Code based on the type of substance causing the major neurocognitive disorder <sup>c, d</sup>	Code based on the type of substance causing the mild neurocognitive disorder <sup>d</sup>
HIV infection	042 (B20)	294.1x (F02.8x)	331.83 (G31.84) (Do not use additional code for HIV infection.)
Prion disease	046.79 (A81.9)	294.1x (F02.8x)	331.83 (G31.84) (Do not use additional code for prion disease.)
Parkinson's disease	332.0 (G20)	294.1x (F02.8x)	331.83 (G31.84) (Do not use additional code for Parkinson's disease.)
Huntington's disease	333.4 (G10)	294.1x (F02.8x)	331.83 (G31.84) (Do not use additional code for Huntington's disease.)

**Neurocognitive Disorders**  
**Updated Coding Table (continued)**

Etiological subtype	Associated etiological medical code for major neurocognitive disorder <sup>a</sup>	Major neurocognitive disorder code <sup>b</sup>	Mild neurocognitive disorder code <sup>c</sup>
Due to another medical condition	Code the other medical condition first (e.g., 340 [G35] multiple sclerosis)	294.1x (F02.8x)	331.83 (G31.84) (Do not use additional codes for the presumed etiological medical conditions.)
Due to multiple etiologies	Code all of the etiological medical conditions first (with the exception of vascular disease)	294.1x (F02.8x) (Plus the code for the relevant substance/medication-induced major neurocognitive disorders if substances or medications play a role in the etiology.)	331.83 (G31.84) (Plus the code for the relevant substance/medication-induced mild neurocognitive disorders if substances or medications play a role in the etiology. Do not use additional codes for the presumed etiological medical conditions.)
Unspecified neurocognitive disorder	No additional medical code	799.59 (R41.9)	799.59 (R41.9)

<sup>a</sup> Code first, before code for major neurocognitive disorder.

<sup>b</sup> Code fifth character based on symptom specifier: .x0 without behavioral disturbance; .x1 with behavioral disturbance (e.g., psychotic symptoms, mood disturbance, agitation, apathy, or other behavioral symptoms).

<sup>c</sup> **Note:** Behavioral disturbance specifier cannot be coded but should still be indicated in writing.

<sup>d</sup> See “Substance/Medication-Induced Major or Mild Neurocognitive Disorder.”

## Neurocognitive Disorders

### Updated Coding Notes in DSM-5 Criteria Sets

See table for specific pages containing updates in DSM-5 and Desk Reference.

Disorder	Updated coding note
<b>Major or Mild Neurocognitive Disorder Due to Alzheimer's Disease</b>	<p><b>Coding note:</b> For major neurocognitive disorder due to probable Alzheimer's disease, with behavioral disturbance, code first <b>331.0 (G30.9)</b> Alzheimer's disease, followed by <b>294.11 (F02.81)</b>. For major neurocognitive disorder due to probable Alzheimer's disease, without behavioral disturbance, code first <b>331.0 (G30.9)</b> Alzheimer's disease, followed by <b>294.10 (F02.80)</b>.</p> <p>For major neurocognitive disorder due to possible Alzheimer's disease, with behavioral disturbance, code first <b>331.0 (G30.9)</b> Alzheimer's disease, followed by <b>294.11 (F02.81)</b>. For major neurocognitive disorder due to possible Alzheimer's disease, without behavioral disturbance, code first <b>331.0 (G30.9)</b> Alzheimer's disease, followed by <b>294.10 (F02.80)</b>.</p> <p>For mild neurocognitive disorder due to Alzheimer's disease, code <b>331.83 (G31.84)</b>. (<b>Note:</b> Do <i>not</i> use the additional code for Alzheimer's disease. Behavioral disturbance cannot be coded but should still be indicated in writing.)</p> <p><i>This coding note appears in DSM-5, pp. 611–612; in Desk Reference, p. 306.</i></p>
<b>Major or Mild Frontotemporal Neurocognitive Disorder</b>	<p><b>Coding note:</b> For major neurocognitive disorder due to probable frontotemporal lobar degeneration, with behavioral disturbance, code first <b>331.19 (G31.09)</b> frontotemporal disease, followed by <b>294.11 (F02.81)</b>. For major neurocognitive disorder due to probable frontotemporal lobar degeneration, without behavioral disturbance, code first <b>331.19 (G31.09)</b> frontotemporal disease, followed by <b>294.10 (F02.80)</b>.</p> <p>For major neurocognitive disorder due to possible frontotemporal lobar degeneration, with behavioral disturbance, code first <b>331.19 (G31.09)</b> frontotemporal disease, followed by <b>294.11 (F02.81)</b>. For major neurocognitive disorder due to possible frontotemporal lobar degeneration, without behavioral disturbance, code first <b>331.19 (G31.09)</b> frontotemporal disease, followed by <b>294.10 (F02.80)</b>.</p> <p>For mild neurocognitive disorder due to frontotemporal lobar degeneration, code <b>331.83 (G31.84)</b>. (<b>Note:</b> Do <i>not</i> use the additional code for frontotemporal disease. Behavioral disturbance cannot be coded but should still be indicated in writing.)</p> <p><i>This coding note appears in DSM-5, p. 615; in Desk Reference, pp. 307–308.</i></p>
<b>Major or Mild Neurocognitive Disorder With Lewy Bodies</b>	<p><b>Coding note:</b> For major neurocognitive disorder with probable Lewy bodies, with behavioral disturbance, code first <b>331.82 (G31.83)</b> Lewy body disease, followed by <b>294.11 (F02.81)</b>. For major neurocognitive disorder with probable Lewy bodies, without behavioral disturbance, code first <b>331.82 (G31.83)</b> Lewy body disease, followed by <b>294.10 (F02.80)</b>.</p> <p>For major neurocognitive disorder with possible Lewy bodies, with behavioral disturbance, code first <b>331.82 (G31.83)</b> Lewy body disease, followed by <b>294.11 (F02.81)</b>. For major neurocognitive disorder with possible Lewy bodies, without behavioral disturbance, code first <b>331.82 (G31.83)</b> Lewy body disease, followed by <b>294.10 (F02.80)</b>.</p> <p>For mild neurocognitive disorder with Lewy bodies, code <b>331.83 (G31.84)</b>. (<b>Note:</b> Do <i>not</i> use the additional code for Lewy body disease. Behavioral disturbance cannot be coded but should still be indicated in writing.)</p> <p><i>This coding note appears in DSM-5, pp. 618–619; in Desk Reference, p. 309.</i></p>



## Neurocognitive Disorders

### Updated Coding Notes in DSM-5 Criteria Sets (*continued*)

Disorder	Updated coding note
<b>Major or Mild Vascular Neurocognitive Disorder</b>	<p><b>Coding note:</b> For major neurocognitive disorder probably due to vascular disease, with behavioral disturbance, code <b>290.40 (F01.51)</b>. For major neurocognitive disorder probably due to vascular disease, without behavioral disturbance, code <b>290.40 (F01.50)</b>. An additional medical code for the vascular disease is not needed.</p> <p>For major neurocognitive disorder possibly due to vascular disease, with behavioral disturbance, code <b>290.40 (F01.51)</b>. For major neurocognitive disorder possibly due to vascular disease, without behavioral disturbance, code <b>290.40 (F01.50)</b>. An additional medical code for the vascular disease is not needed.</p> <p>For mild neurocognitive disorder due to vascular disease, code <b>331.83 (G31.84)</b>. (<b>Note:</b> Do <i>not</i> use an additional code for the vascular disease. Behavioral disturbance cannot be coded but should still be indicated in writing.)</p> <p><i>This coding note appears in DSM-5, p. 621; in Desk Reference, p. 310.</i></p>
<b>Major or Mild Neurocognitive Disorder Due to Parkinson's Disease</b>	<p><b>Coding note:</b> For major neurocognitive disorder probably due to Parkinson's disease, with behavioral disturbance, code first <b>332.0 (G20)</b> Parkinson's disease, followed by <b>294.11 (F02.81)</b>. For major neurocognitive disorder probably due to Parkinson's disease, without behavioral disturbance, code first <b>332.0 (G20)</b> Parkinson's disease, followed by <b>294.10 (F02.80)</b>.</p> <p>For major neurocognitive disorder possibly due to Parkinson's disease, with behavioral disturbance, code first <b>332.0 (G20)</b> Parkinson's disease, followed by <b>294.11 (F02.81)</b>. For major neurocognitive disorder possibly due to Parkinson's disease, without behavioral disturbance, code first <b>332.0 (G20)</b> Parkinson's disease, followed by <b>294.10 (F02.80)</b>.</p> <p>For mild neurocognitive disorder due to Parkinson's disease, code <b>331.83 (G31.84)</b>. (<b>Note:</b> Do <i>not</i> use the additional code for Parkinson's disease. Behavioral disturbance cannot be coded but should still be indicated in writing.)</p> <p><i>This coding note appears in DSM-5, pp. 636–637; in Desk Reference, p. 317.</i></p>



**Neurocognitive Disorders****Alphabetical Listing of DSM-5 Diagnoses and Codes (ICD-9-CM and ICD-10-CM)**

This excerpt provides the updated ICD-9-CM and ICD-10-CM codes for major neurocognitive disorders due to possible etiologies and reintegrates their placement within the listing. (DSM-5 only, pp. 849–850; not applicable to Desk Reference)

ICD-9-CM codes are to be used for coding purposes in the United States through September 30, 2014. ICD-10-CM codes are to be used for coding purposes in the United States starting October 1, 2014.

ICD-9-CM	ICD-10-CM	Disorder, condition, or problem
		Major neurocognitive disorder due to another medical condition
294.11	F02.81	With behavioral disturbance
294.10	F02.80	Without behavioral disturbance
		Major neurocognitive disorder due to HIV infection ( <i>code first</i> 042 [B20] HIV infection)
294.11	F02.81	With behavioral disturbance
294.10	F02.80	Without behavioral disturbance
		Major neurocognitive disorder due to Huntington's disease ( <i>code first</i> 333.4 [G10] Huntington's disease)
294.11	F02.81	With behavioral disturbance
294.10	F02.80	Without behavioral disturbance
		Major neurocognitive disorder due to multiple etiologies
294.11	F02.81	With behavioral disturbance
294.10	F02.80	Without behavioral disturbance
		Major neurocognitive disorder due to possible Alzheimer's disease ( <i>code first</i> 331.0 [G30.9] Alzheimer's disease)
		Major neurocognitive disorder due to probable Alzheimer's disease ( <i>code first</i> 331.0 [G30.9] Alzheimer's disease)
294.11	F02.81	With behavioral disturbance
294.10	F02.80	Without behavioral disturbance
		Major neurocognitive disorder due to possible frontotemporal lobar degeneration ( <i>code first</i> 331.19 [G31.09] frontotemporal disease)
		Major neurocognitive disorder due to probable frontotemporal lobar degeneration ( <i>code first</i> 331.19 [G31.09] frontotemporal disease)
294.11	F02.81	With behavioral disturbance
294.10	F02.80	Without behavioral disturbance

**Neurocognitive Disorders****Alphabetical Listing of DSM-5 Diagnoses and Codes (ICD-9-CM and ICD-10-CM)  
(continued)**

ICD-9-CM	ICD-10-CM	Disorder, condition, or problem
		Major neurocognitive disorder with possible Lewy bodies ( <i>code first</i> 331.82 [G31.83] Lewy body disease)
		Major neurocognitive disorder with probable Lewy bodies ( <i>code first</i> 331.82 [G31.83] Lewy body disease)
294.11	F02.81	With behavioral disturbance
294.10	F02.80	Without behavioral disturbance
		Major neurocognitive disorder possibly due to Parkinson's disease ( <i>code first</i> 332.0 [G20] Parkinson's disease)
		Major neurocognitive disorder probably due to Parkinson's disease ( <i>code first</i> 332.0 [G20] Parkinson's disease)
294.11	F02.81	With behavioral disturbance
294.10	F02.80	Without behavioral disturbance
		Major neurocognitive disorder possibly due to vascular disease
		Major neurocognitive disorder probably due to vascular disease
290.40	F01.51	With behavioral disturbance
290.40	F01.50	Without behavioral disturbance
		Major neurocognitive disorder due to prion disease ( <i>code first</i> 046.79 [A81.9] prion disease)
294.11	F02.81	With behavioral disturbance
294.10	F02.80	Without behavioral disturbance
		Major neurocognitive disorder due to traumatic brain injury ( <i>code first</i> 907.0 late effect of intracranial injury without skull fracture [S06.2X9S diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela])
294.11	F02.81	With behavioral disturbance
294.10	F02.80	Without behavioral disturbance

## Neurocognitive Disorders

### Numerical Listing of DSM-5 Diagnoses and Codes (ICD-9-CM)

This excerpt provides the updated ICD-9-CM codes for major neurocognitive disorders due to possible etiologies and reintegrates their placement with other major neurocognitive disorders in the listing. Disorders outside this category or numerical set are not included here. (DSM-5 only, pp. 863, 866; on p. 872, delete the ICD-9-CM code 331.9 and all corresponding entries; not applicable to Desk Reference)

ICD-9-CM codes are to be used for coding purposes in the United States through September 30, 2014.

ICD-9-CM	Disorder, condition, or problem
290.40	Major neurocognitive disorder possibly due to vascular disease, With behavioral disturbance
290.40	Major neurocognitive disorder possibly due to vascular disease, Without behavioral disturbance
290.40	Major neurocognitive disorder probably due to vascular disease, With behavioral disturbance
290.40	Major neurocognitive disorder probably due to vascular disease, Without behavioral disturbance
294.10	Major neurocognitive disorder due to another medical condition, Without behavioral disturbance
294.10	Major neurocognitive disorder due to HIV infection, Without behavioral disturbance ( <i>code first</i> 042 HIV infection)
294.10	Major neurocognitive disorder due to Huntington's disease, Without behavioral disturbance ( <i>code first</i> 333.4 Huntington's disease)
294.10	Major neurocognitive disorder due to multiple etiologies, Without behavioral disturbance
294.10	Major neurocognitive disorder due to possible Alzheimer's disease, Without behavioral disturbance ( <i>code first</i> 331.0 Alzheimer's disease)
294.10	Major neurocognitive disorder due to probable Alzheimer's disease, Without behavioral disturbance ( <i>code first</i> 331.0 Alzheimer's disease)
294.10	Major neurocognitive disorder due to possible frontotemporal lobar degeneration, Without behavioral disturbance ( <i>code first</i> 331.19 frontotemporal disease)
294.10	Major neurocognitive disorder due to probable frontotemporal lobar degeneration, Without behavioral disturbance ( <i>code first</i> 331.19 frontotemporal disease)

**Neurocognitive Disorders****Numerical Listing of DSM-5 Diagnoses and Codes (ICD-9-CM) (continued)**

<b>ICD-9-CM</b>	<b>Disorder, condition, or problem</b>
294.10	Major neurocognitive disorder with possible Lewy bodies, Without behavioral disturbance ( <i>code first</i> 331.82 Lewy body disease)
294.10	Major neurocognitive disorder with probable Lewy bodies, Without behavioral disturbance ( <i>code first</i> 331.82 Lewy body disease)
294.10	Major neurocognitive disorder possibly due to Parkinson's disease, Without behavioral disturbance ( <i>code first</i> 332.0 Parkinson's disease)
294.10	Major neurocognitive disorder probably due to Parkinson's disease, Without behavioral disturbance ( <i>code first</i> 332.0 Parkinson's disease)
294.10	Major neurocognitive disorder due to prion disease, Without behavioral disturbance ( <i>code first</i> 046.79 prion disease)
294.10	Major neurocognitive disorder due to traumatic brain injury, Without behavioral disturbance ( <i>code first</i> 907.0 late effect of intracranial injury without skull fracture)
294.11	Major neurocognitive disorder due to another medical condition, With behavioral disturbance
294.11	Major neurocognitive disorder due to HIV infection, With behavioral disturbance ( <i>code first</i> 042 HIV infection)
294.11	Major neurocognitive disorder due to Huntington's disease, With behavioral disturbance ( <i>code first</i> 333.4 Huntington's disease)
294.11	Major neurocognitive disorder due to multiple etiologies, With behavioral disturbance
294.11	Major neurocognitive disorder due to possible Alzheimer's disease, With behavioral disturbance ( <i>code first</i> 331.0 Alzheimer's disease)
294.11	Major neurocognitive disorder due to probable Alzheimer's disease, With behavioral disturbance ( <i>code first</i> 331.0 Alzheimer's disease)
294.11	Major neurocognitive disorder due to possible frontotemporal lobar degeneration, With behavioral disturbance ( <i>code first</i> 331.19 frontotemporal disease)
294.11	Major neurocognitive disorder due to probable frontotemporal lobar degeneration, With behavioral disturbance ( <i>code first</i> 331.19 frontotemporal disease)

## Neurocognitive Disorders

### Numerical Listing of DSM-5 Diagnoses and Codes (ICD-9-CM) (continued)

ICD-9-CM	Disorder, condition, or problem
294.11	Major neurocognitive disorder with possible Lewy bodies, With behavioral disturbance ( <i>code first</i> 331.82 Lewy body disease)
294.11	Major neurocognitive disorder with probable Lewy bodies, With behavioral disturbance ( <i>code first</i> 331.82 Lewy body disease)
294.11	Major neurocognitive disorder possibly due to Parkinson's disease, With behavioral disturbance ( <i>code first</i> 332.0 Parkinson's disease)
294.11	Major neurocognitive disorder probably due to Parkinson's disease, With behavioral disturbance ( <i>code first</i> 332.0 Parkinson's disease)
294.11	Major neurocognitive disorder due to prion disease, With behavioral disturbance ( <i>code first</i> 046.79 prion disease)
294.11	Major neurocognitive disorder due to traumatic brain injury, With behavioral disturbance ( <i>code first</i> 907.0 late effect of intracranial injury without skull fracture)

## Neurocognitive Disorders

### Numerical Listing of DSM-5 Diagnoses and Codes (ICD-10-CM)

This excerpt provides the updated ICD-10-CM codes for major neurocognitive disorders due to possible etiologies and reintegrates their placement with other major neurocognitive disorders in the listing. Disorders outside this category or alphanumeric set are not included here.

(DSM-5 only, pp. 877–878; on p. 892, delete the ICD-10-CM code G31.9 and all corresponding entries; not applicable to Desk Reference)

ICD-10-CM codes are to be used for coding purposes in the United States starting October 1, 2014.

ICD-10-CM	Disorder, condition, or problem
F01.50	Major neurocognitive disorder possibly due to vascular disease, Without behavioral disturbance
F01.50	Major neurocognitive disorder probably due to vascular disease, Without behavioral disturbance
F01.51	Major neurocognitive disorder possibly due to vascular disease, With behavioral disturbance
F01.51	Major neurocognitive disorder probably due to vascular disease, With behavioral disturbance

**Neurocognitive Disorders****Numerical Listing of DSM-5 Diagnoses and Codes (ICD-10-CM) (continued)**

<b>ICD-10-CM</b>	<b>Disorder, condition, or problem</b>
F02.80	Major neurocognitive disorder due to another medical condition, Without behavioral disturbance
F02.80	Major neurocognitive disorder due to HIV infection, Without behavioral disturbance ( <i>code first</i> B20 HIV infection)
F02.80	Major neurocognitive disorder due to Huntington's disease, Without behavioral disturbance ( <i>code first</i> G10 Huntington's disease)
F02.80	Major neurocognitive disorder due to multiple etiologies, Without behavioral disturbance
F02.80	Major neurocognitive disorder due to possible Alzheimer's disease, Without behavioral disturbance ( <i>code first</i> G30.9 Alzheimer's disease)
F02.80	Major neurocognitive disorder due to probable Alzheimer's disease, Without behavioral disturbance ( <i>code first</i> G30.9 Alzheimer's disease)
F02.80	Major neurocognitive disorder due to possible frontotemporal lobar degeneration, Without behavioral disturbance ( <i>code first</i> G31.09 frontotemporal disease)
F02.80	Major neurocognitive disorder due to probable frontotemporal lobar degeneration, Without behavioral disturbance ( <i>code first</i> G31.09 frontotemporal disease)
F02.80	Major neurocognitive disorder with possible Lewy bodies, Without behavioral disturbance ( <i>code first</i> G31.83 Lewy body disease)
F02.80	Major neurocognitive disorder with probable Lewy bodies, Without behavioral disturbance ( <i>code first</i> G31.83 Lewy body disease)
F02.80	Major neurocognitive disorder possibly due to Parkinson's disease, Without behavioral disturbance ( <i>code first</i> G20 Parkinson's disease)
F02.80	Major neurocognitive disorder probably due to Parkinson's disease, Without behavioral disturbance ( <i>code first</i> G20 Parkinson's disease)
F02.80	Major neurocognitive disorder due to prion disease, Without behavioral disturbance ( <i>code first</i> A81.9 prion disease)
F02.80	Major neurocognitive disorder due to traumatic brain injury, Without behavioral disturbance ( <i>code first</i> S06.2X9S diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela)
F02.81	Major neurocognitive disorder due to another medical condition, With behavioral disturbance
F02.81	Major neurocognitive disorder due to HIV infection, With behavioral disturbance ( <i>code first</i> B20 HIV infection)
F02.81	Major neurocognitive disorder due to Huntington's disease, With behavioral disturbance ( <i>code first</i> G10 Huntington's disease)
F02.81	Major neurocognitive disorder due to multiple etiologies, With behavioral disturbance

**Neurocognitive Disorders****Numerical Listing of DSM-5 Diagnoses and Codes (ICD-10-CM) (continued)**

<b>ICD-10-CM</b>	<b>Disorder, condition, or problem</b>
F02.81	Major neurocognitive disorder due to possible Alzheimer's disease, With behavioral disturbance ( <i>code first</i> G30.9 Alzheimer's disease)
F02.81	Major neurocognitive disorder due to probable Alzheimer's disease, With behavioral disturbance ( <i>code first</i> G30.9 Alzheimer's disease)
F02.81	Major neurocognitive disorder due to possible frontotemporal lobar degeneration, With behavioral disturbance ( <i>code first</i> G31.09 frontotemporal disease)
F02.81	Major neurocognitive disorder due to probable frontotemporal lobar degeneration, With behavioral disturbance ( <i>code first</i> G31.09 frontotemporal disease)
F02.81	Major neurocognitive disorder with possible Lewy bodies, With behavioral disturbance ( <i>code first</i> G31.83 Lewy body disease)
F02.81	Major neurocognitive disorder with probable Lewy bodies, With behavioral disturbance ( <i>code first</i> G31.83 Lewy body disease)
F02.81	Major neurocognitive disorder possibly due to Parkinson's disease, With behavioral disturbance ( <i>code first</i> G20 Parkinson's disease)
F02.81	Major neurocognitive disorder probably due to Parkinson's disease, With behavioral disturbance ( <i>code first</i> G20 Parkinson's disease)
F02.81	Major neurocognitive disorder due to prion disease, With behavioral disturbance ( <i>code first</i> A81.9 prion disease)
F02.81	Major neurocognitive disorder due to traumatic brain injury, With behavioral disturbance ( <i>code first</i> S06.2X9S diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela)